







Small Portable AA Flashlight

Power by an ordinary AA alkaline battery, which are easily accessible.

-Ö- Small battery, high brightness.

- · 300+ lumens light-emitting LED powered by 1* AA battery.
- · 4 levels (LOW-MED-HIGH)
- 1 Two-way clip. Flexible clamping and placing.
- Waterproof and drop-proof, small and portable.



1* OSRAM DURIS P9 LED

Powered by AA battery.
Compact and cool.

Parameters

OUTPUT	INTENSITY	DISTANCE	RUNTIME	ANGLE	SIZE	WEIGHT
300	900	60	168	Spotlight 8°	20.55 * 17.5 * 89.3	31.5
Lumens/Max.	Candela / Max.	Meters / Max.	Hours/Max.	Floodlight 37°	D*D*L (mm)	gram/excluding battery

Features



All Aluminum Design



Titanium Plated Clip




IP68 Waterproof & Dustproof



2 Meters Impact Resistance



Memory Function



One Tap to Switch Mode



Anti-reverse Battery Design



Constant Voltage Circuit



Recommended Use Scenarios



Hiking, camping, daily carry, emergency lighting, collection, gift, reading, home.

Fishin

Fishing, security, industrial work.

Mountain climbing, maintenance.

Warranty Policy

15 days free replacement, 5 years quality warranty, and free lifetime maintenance fee.

(The final interpretation right belongs to CYANSKY.)



Equipped with 1 * AA alkaline battery.





High-performance Strong Light **Outdoor Flashlight**



White light multi-mode design.

- · 4 general modes (LOW-MED-HIGH-TURBO)
- · 3 special modes (ECO/STROBE/SOS)

High brightness, large floodlight, ample area lighting.



Illuminate everything around you, uminosity like the day.

Parameters

OUTPUT	INTENSITY	DISTANCE	RUNTIME	ANGLE	SIZE	WEIGHT
THE RESERVE OF THE PERSON NAMED IN COLUMN 2 IS NOT THE OWNER.	10800	208	80	Spotlight 26°	30* 24.4 * 145.4	98
	Candela / Max.	Meters / Max.	Hours / Max.	Floodlight 85°	D*D* L (mm)	gram/excluding battery


Features



All Aluminum Design



Tail Tactical Switch One Tap to Light Up



Compatible with Gun Mount & Remote Switch



Titanium Plated Clip



IP68 Waterproof & Dustproof



2 Meters Impact Resistance




Memory Function



One Tap to Switch Mode



Temperature Control Protection



Anti-reverse **Battery Design**



PowerIndicator Function




Constant **Current Circuit**

Recommended Use Scenarios



Forest, hiking, camping, climbing, search, rescue, cave exploration, daily carry, home, law enforcement, and tactical missions.

Work and photography.



Support accessories: gun mount, remote switch.

Warranty Policy

15 days free replacement, 5 years quality warranty, and free lifetime maintenance fee. (The final interpretation right belongs to CYANSKY.)











High-performance Strong Light **Outdoor Flashlight**



White light multi-mode design.

- · 4 general modes (LOW-MED-HIGH-TURBO)
- 3 special modes (ECO/STROBE/SOS)



Micro-arc oxidation surface treatment, more wear-resisting, Nmore resistant to corrosion.



Illuminate everything around you, uminosity like the day.

Parameters

OUTPUT	INTENSITY	DISTANCE	RUNTIME	ANGLE	SIZE	WEIGHT
	10800 Candela / Max.	208 Meters / Max.	80 Hours/Max.	Spotlight 26° Floodlight 85°	30* 24.4 * 145.4 D*D* L (mm)	98 gram/excluding battery

Features



All Aluminum Design



Tail Tactical Switch One Tap to Light Up



Compatible with Gun Mount & Remote Switch



Sandblasting Clip




IP68 Waterproof & Dustproof



2 Meters Impact Resistance



Memory Function



One Tap to Switch Mode



Temperature Control Protection



Anti-reverse Battery Design



Power Indicator Function



Constant **Current Circuit**

Recommended Use Scenarios



Forest, hiking, camping, climbing, search, rescue, cave exploration, daily carry, home, law enforcement, and tactical missions.

Work and photography.

Cycling and fishing.

Support accessories: gun mount, remote switch.

Warranty Policy

15 days free replacement, 5 years quality warranty, and free lifetime maintenance fee. (The final interpretation right belongs to CYANSKY.)







High-performance Strong Light **Outdoor Flashlight**



White light multi-mode design.

- · 4 general modes (LOW-MED-HIGH-TURBO)
- · 3 special modes (ECO/STROBE/SOS)



-O- Highbrightness, large floodlight, ample area lighting.



Micro-arc oxidation surface treatment, more wear-resisting, Nmore resistant to corrosion.



1 * CREE-LED XHP70.3 LED

Illuminate everything around you, uminosity like the day.

Parameters

OUTPUT	INTENSITY	DISTANCE	RUNTIME	ANGLE	SIZE	WEIGHT
CANAL TO SECURE AND ADDRESS OF THE	10800 Candela / Max.	THE CONTRACTOR OF THE PARTY OF	80 Hours / Max.	Spotlight 26° Floodlight 85°	30* 24.4 * 145.4 D*D* L (mm)	98 gram/excluding battery


Features



All Aluminum Design



Tail Tactical Switch One Tap to Light Up



Compatible with Gun Mount & Remote Switch



Sandblasting Clip




IP68 Waterproof & Dustproof



2 Meters Impact Resistance



Memory Function



One Tap to Switch Mode



Temperature Control Protection



Anti-reverse Battery Design



Power Indicator Function





Constant **Current Circuit**

Recommended Use Scenarios



Forest, hiking, camping, climbing, search, rescue, cave exploration, daily carry, home, law enforcement, and tactical missions.





Support accessories: gun mount, remote switch.

Warranty Policy

15 days free replacement, 5 years quality warranty, and free lifetime maintenance fee. (The final interpretation right belongs to CYANSKY.)













(K3-I8) (K3-I9)





High-performance Long-range Tactical Flashlight



White light multi-mode design.

- · 4 general modes (LOW-MED-HIGH-TURBO)
- · 2 special modes (ECO/STROBE)



Tactical attack head design.



Equipped with high-hardness zirconium

beads, break glass easily.

Max. 400 hours long runtime.




irradiation distance.

Visible clearly from afar. Instant suppress the enemy.

Parameters

OUTPUT	INTENSITY	DISTANCE	RUNTIME	ANGLE	SIZE	WEIGHT
	124609 Candela / Max.	The second secon	400 Hours / Max.	Spotlight 5° Floodlight 70°	40 * 25.4 * 153.6 D*D*L (mm)	132.2 gram/excluding battery


Features



All Aluminum Design



Tail Tactical Switch One Tap to Light Up



Compatible with Gun Mount & Remote Switch



Titanium Plated Clip




IP68 Waterproof & Dustproof




2 Meters Impact Resistance



Memory Function



One Tap to Switch Mode



Temperature Control Protection



Anti-reverse **Battery Design**



Power Indicator Function



Constant **Current Circuit**

Recommended Use Scenarios



Tactical, law enforcement, military, police, security, search, rescue, forest, climbing, hunting.



Hiking, cycling, cave exploration, daily carry, camping, home.

Camping, home.



Warranty Policy


15 days free replacement, 5 years quality warranty, and free lifetime maintenance fee. (The final interpretation right belongs to CYANSKY.)











21700

Infrared Tactical Flashlight

Infrared light exposure, invisible to the eye.

(→) 350 meters max. irradiation distancet.

دُرُحُ Tactical attack head design.

-Ö- Used to fill light to the night vision device or infrared DV.



Parameters

OUTPUT	INTENSITY	DISTANCE	RUNTIME	Wavelength	SIZE	WEIGHT
	30625 Candela / Max.		5 Hours / Max.	850 nm	40 * 25.6 * 148.6 D*D*L (mm)	120 gram/excluding battery


Features



All Aluminum Design



Tail Tactical Switch One Tap to Light Up



Compatible with Gun Mount & Remote Switch



invisible light.

Titanium Plated Clip



IP68 Waterproof & Dustproof



2 Meters Impact Resistance



Anti-reverse Battery Design



Constant Current Circuit

Recommended Use Scenarios



Military, police, law enforcement, tactical missions, hunting, farm.

Support accessories: gun mount, remote switch.

Warranty Policy

15 days free replacement, 5 years quality warranty, and free lifetime maintenance fee.

(The final interpretation right belongs to CYANSKY.)







21700

Infrared Tactical Flashlight

Infrared light exposure, invisible to the eye.

940nm light source is more invisible.

Tactical attack head design.

Used to fill light to the night vision device or infrared DV.



Parameters

OUTPUT	INTENSITY	DISTANCE	RUNTIME	Wavelength	SIZE	WEIGHT
5000 Lumens / Max.	5625 Candela / Max.	150 Meters / Max.	4 Hours / Max.	940 nm	40 * 25.6 * 148.6 D*D*L (mm)	120 gram/excluding battery

Features



All Aluminum Design



Tail Tactical Switch One Tap to Light Up



Compatible with Gun Mount & Remote Switch



Titanium Plated Clip



IP68 Waterproof & Dustproof



2 Meters Impact Resistance



Anti-reverse Battery Design





Recommended Use Scenarios

Military, police, law enforcement, tactical missions, hunting, farm.

SSupport accessories: gun mount, remote switch.

Warranty Policy

15 days free replacement, 5 years quality warranty, and free lifetime maintenance fee.

(The final interpretation right belongs to CYANSKY.)














Portable Multi-color **Hunting Flashlight**

White, red, and green light switching, effectively reducing prey alertness.

←→ 400 meters max. distance.

Excellent long-range lighting.

· 4 general modes (LOW-MED-HIGH-TURBO)

STROBE Mode

Compatible with gun mount and remote switch.



Tricolor switching. Far lighting.

Parameters

OUTPUT	INTENSITY	DISTANCE	RUNTIME	ANGLE	SIZE	WEIGHT
1300 Lumens/Max.	40000 Candela / Max.	400 Meters / Max.				
100 Lumens/Max.	3600 Candela / Max.	120 Meters / Max.	60 Hours/Max.	Spotlight 6° Floodlight 60°	41.4* 25.4 * 165 D*D* L (mm)	166 gram/excluding battery
300 Lumens/Max.	10816 Candela / Max.	208 Meters / Max.				

Features



Integrated Design



Tail Tactical Switch One Tap to Light Up



Tactical Attack Head



IP68 Waterproof & Dustproof



2 Meters Impact Resistance



Anti-reverse **Battery Design**



Constant **Current Circuit**



Memory Function



One Tap to Switch Mode



Temperature Control Protection



Recommended Use Scenarios



Hunting, farm, forest, camping.

Park, hiking, climbing, fishing, security, military, police, photography, and law enforcement.

Cycling, everyday carry, rock climbing, cave exploration, industrial work, tactical, home.

Support accessories: gun mount, remote switch.

Warranty Policy


15 days free replacement, 5 years quality warranty, and free lifetime maintenance fee.

(The final interpretation right belongs to CYANSKY.)











High-performance Multi-color Lights Long-range Hunting Flashlight



-Ö- White + X (red/green/blue) custom light color combinations.

(←→) Superlong-range irradiation. Top performance.

·White light 4 levels: (LOW-MED-HIGH-TURBO)

·Red light 3 levels: (LOW-MED-HIGH) · Green light 3 levels: (LOW-MED-HIGH) ·Blue light 3 levels: (LOW-MED-HIGH)

oo Compatible with gun mount and remote switch.

CYANSKY HEGT WHITE+X White: 1* Luminus SFT-40-W LED 1* Luminus SFT-20-RA LED Green: 1 * Luminus SFT-20-CG-F35-MPF LED Blue: 1* Luminus SFT-20-B-F35 LED

White Light 2000LUMENS

1000 meters max. irradiation distance.

Optional light colors. Ultra-far illumination.

With the rotatable large reflection cup with a single outlet.

Parameters

OUTPUT (Lumens / Max.)	INTENSITY (Candela / Max.)	DISTANCE (Meters / Max.)	RUNTIME (Hours / Max.)	ANGLE (°)	SIZE (mm)	WEIGHT (g)	
2000	250000	1000					
400	90000	600	600	Spotlight 6°	68 * 25.8 * 181.7	295	
2200	422500	1300		Floodlight 60°	D*D* L	(excluding battery)	
130	2756	105					

All Aluminum Design



Memory Function



Tail Tactical Switch One Tap to Light Up




One Tap to Switch Mode



Features

Power Indicator Function



Temperature Control Protection



IP68 Waterproof & Dustproof



Anti-reverse **Battery Design**



2 Meters Impact Resistance




Constant **Current Circuit**

Recommended Use Scenarios



Hunting, farming, fishing, forest; Search and rescue, surveillance, blood tracing, alerting, navigation.





Mountaineering, cycling, tactical task, military and police, cave exploration, home.

Support accessories: gun mount, remote switch.

Warranty Policy

15 days free replacement, 5 years quality warranty, and free lifetime maintenance fee.

(The final interpretation right belongs to CYANSKY.)













Multifunctional Rechargeable L-shaped Headlamp



Dual-mode spotlight and floodlight. Independent control.

1.Spotlight / Floodlight multi-level design: LOW - MED - HIGH - TURBO.

2.Spotlight/floodlight independent operation button.



High and soft brightness, wide light coverage.



Intelligent light sensor, safe dimming.

The light sensor function automatically adjusts the brightness to protect user safety and visual comfort.



1* Luminus SFT70 Cool White Spotlight LED (6500K)

2000Lumens

2 * OSRAM DURIS P9 Natural White Floodlight LEDs (4000K)



Versatile, flexible and convenient to use.

1. Head wearable: with the ring-type band and overhead band.

- 2. Handheld: removable stainless steel bracket.
- 3.Dangling: tail cap with magnetic.

High brightness. Wide coverage.

Accessories: bracket, headlamp strap.

Parameters

OUTPUT	INTENSITY	DISTANCE	RUNTIME	ANGLE	SIZE	WEIGHT
Spotilght 2800 Floodlight 2000	8649	186	140	Spotilght 20° Floodlight 90°	103 * 26 * 32	70/142/213
(Lumens / Max.)	(Candela / Max.)	(Meters / Max.)	(Hours / Max.)	rioodiigiii 90°	L*H*W (mm)	HS7R/+Battery/+Stand & Headlight Strap (g)

Features



Integrated Design



All Aluminum Design



Surface hard anodizing



Adjustable Up & Down Bracket




Headlamp band wider design



2 Meters Impact Resistance



IP68 Waterproof & Dustproof



TYPE-C Charging



Lock Function



Power Indicator Function




Temperature Control Protection



Constant Current Circuit



Anti-reverse **Battery Design**



One Tap to Switch Mode



Memory Function



Recommended Use Scenarios



Camping, industrial work, maintenance work, search&rescue.



Hiking, cave exploration, rock climbing.



Climbing, fishing.

Warranty Policy

15 days free replacement, 5 years quality warranty, and free lifetime maintenance fee. (The final interpretation right belongs to CYANSKY.)











Multifunctional rechargeable headlamp



Spotlight & floodlight double white LEDs, white & red double light colors.



Powerful color reproduction ability.

- · 5700K cold white LED + 4000K warm white LED
- ·CRI 95 high color rendering index



Red LEDs are suitable for lighting use.



secondary lights make them more durable and safe.





1400LUMENS

1* Luminus SST40 White LED 1* Luminus SST-20-W Warm White LED 2* Everlight2835 Red LED

Cold & warm dual white LEDs, red & white dual light colors.

Accessories: bracket, headlamp strap.

Parameters

	OUTPUT	INTENSITY	DISTANCE	RUNTIME	ANGLE	SIZE	WEIGHT
The state of the state of		7200 Candela / Max.	170 Meters / Max.	90 Hours/Max.	Spotlight 15° Floodlight 80°		72/121/164 HS6R/+Battery/+Bracket & Strap (g)

Features



Integrated Design

Lock Function



All Aluminum Design

Power Indicator


Function



Adjustable Up & Down Bracket




Temperature Control Protection




Headlamp band wider design



Constant Current Circuit



TYPE-C Charging



One Tap to Switch Mode



Memory Function



Anti-reverse Battery Design



2 Meters



IP68 Impact Resistance Waterproof & Dustproof



Warranty Policy

15 days free replacement, 5 years quality warranty, and free lifetime maintenance fee.

(The final interpretation right belongs to CYANSKY.)

Recommended Use Scenarios



Camping, search, rescue, industrial work, maintenance work.



Photography, hiking, climbing.



Cycling, fishing, cave exploration, daily carry, rock climbing.





Multifunctional Rechargeable L-shaped headlamp

Multi-light source design, red and white double light.

- · White light multi-mode design
- · Support energy-saving ECO mode
- · Red flash warning function
- Max. 220 hours long runtime.
 - Tail Magnetic suction design to be dangled anywhere.
- Used in head-wearable, handheld, clamped, and fixed,

with a wide range of accessories for flexible use.





1300LUMENS

1* Luminus SFT40 White LED 2* Everlight2835 Red LED

Versatile use. Long-lasting runtime.

Accessories: bracket, headlamp strap, body clip.

Parameters

OUTPUT	INTENSITY	DISTANCE	RUNTIME	ANGLE	SIZE	WEIGHT
	10000 Candela / Max.	A STATE OF THE STA	290 Hours/Max.	Spotlight 15° Floodlight 80°		45/94/136 HS5R/+Battery/+Bracket & Strap (g)

Features



Integrated Design

Lock Function



All Aluminum Design

Power Indicator


Function



Adjustable Up & Down Bracket



Temperature Control Protection



Headlamp band wider design



Constant Current Circuit



TYPE-C Charging




One Tap to Switch Mode



Memory Function



Anti-reverse **Battery Design**



2 Meters Impact Resistance



IP68 Waterproof & Dustproof

Warranty Policy

15 days free replacement, 5 years quality warranty, and free lifetime maintenance fee.

(The final interpretation right belongs to CYANSKY.)

Recommended Use Scenarios



Construction, engineering, maintenance, operations, camping, hiking, climbing



Daily carry, photography, rescue search

Rock climbing, cave exploration.









Mini L-shaped Multifunctional Rechargeable Headlamp



Multi-light source design, red and white double light.

- · White light multi-mode design
- · Support energy-saving ECO mode
- · Red flash warning function



Delicate and lightweight.



Remove the bracket to become a miniflashlight.

Tail Magnetic suction design to be dangled anywhere.

1100LUMENS

1* OSRAM DURIS P9 White LED 2* Everlight2835 Red LED

Small but Bright.

Accessories: bracket, headlamp strap, lanyard

Parameters

	OUTPUT	INTENSITY	DISTANCE	RUNTIME	ANGLE	SIZE	WEIGHT
A STATE OF THE PARTY OF THE PAR	1100 Lumens / Max.	4556 Candela / Max.	135 Meters / Max.	60 Hours / Max.	Spotlight 15° Floodlight 80°		37/55/92 HS3R/+Battery/+Bracket & Strap (g)

Features



Integrated Design


Lock Function



All Aluminum Design

Power Indicator


Function



Adjustable Up & Down Bracket




Temperature Control Protection



Headlamp band wider design



Constant Current Circuit




TYPE-C Charging



One Tap to Switch Mode



Memory Function



Anti-reverse **Battery Design**



2 Meters



IP68 Impact Resistance Waterproof & Dustproof





Equipped with 1 * 16340 rechargeable lithium battery.

Recommended Use Scenarios



Hiking, camping, climbing, running, industrial work, daily carry.



Fishing, rock climbing.

Search and rescue, cave exploration.

Warranty Policy

15 days free replacement, 5 years quality warranty, and free lifetime maintenance fee. (The final interpretation right belongs to CYANSKY.)



E D Series Mini Flashlight

EDC (Everyday Carry) series products are designed for daily carry, emergency, lighting, fun, and collect miniature LED flashlights. In the small body, we made it excellent waterproof, drop-proof, and good lighting performance. EDC series products have an attractive appearance and unique design, perfect for carrying gadgets around.














Multifunctional Rechargeable Keychain Flashlight




- Multifunctional multi-scene use. ·White light 3 modes (Low - MED - HIGH)
 - ·Red light 2 modes (general mode red blinking)
 - ·UV light 1 mode (general mode)



Built-in battery, TYPE-C charging.







200LUMENS

1 * GENESIS CA18-3X2 White LED 1 * EVERLIGHT 2835 67-21S Red LED 1* LEXTAR PU21S31 UV LED

Red/White/UV triple lighting.
Multi-color body.

Parameters

	OUTPUT	INTENSITY	DISTANCE	RUNTIME	ANGLE	SIZE	WEIGHT
TO THE PERSON NAMED AND PARTY OF THE PARTY O	200	756	55	40	Spotlight 16°	50.4* 24 * 11	19.5
	Lumens / Max.	Candela / Max.	Meters / Max.	Hours / Max.	Floodlight 92°	L*H* W (mm)	gram/excluding battery

Features



Integrated Design



All Aluminum Design



Key Ring



One Tap to Switch Mode



Memory Function



Lock Function



Power Indicator Function



Constant Voltage Circuit




2 Meters Impact Resistance



IP68 Waterproof & Dustproof



Recommended Use Scenarios



Included accessories: key ring, TYPE-C charging cable.

Warranty Policy

15 days free replacement, 5 years quality warranty, and free lifetime maintenance fee. (The final interpretation right belongs to CYANSKY.)



Mini Rechargeable **EDC Flashlight**



White light multi-mode design (3+1).

- ·3 general modes (LOW-MED-HIGH)
- **STROBE Mode**





Waterproof and drop-proof, small and portable.



1* CREE-LED XP- E2 R3 LED

Light and handy.

Parameters

OUTPUT	INTENSITY	DISTANCE	RUNTIME	ANGLE	SIZE	WEIGHT
200	1720 Candela / Max.	83	24	Spotlight 14°	20*34	18.5
Lumens/Max.		Meters / Max.	Hours/Max.	Floodlight 90°	D*L (mm)	gram/excluding battery

Features



Integrated Design




Power Indicator Function



All Aluminum Design




Constant Voltage Circuit



Key Ring



2 Meters Impact Resistance



One Tap to Switch Mode



IP68 Waterproof & Dustproof

Recommended Use Scenarios



Emergency lighting, daily carry, location marker, warning, play, gift.



Camping.



Repair, location marker.

Included accessories: key ring, TYPE-C charging cable.

Warranty Policy

15 days free replacement, 5 years quality warranty, and free lifetime maintenance fee.

(The final interpretation right belongs to CYANSKY.)









Mini Titanium EDC Flashlight



White light multi-mode design (4+1).

- · 4 general modes (LOW-MED-HIGH-TURBO)
- STROBE Mode
- Ti Full titanium alloy making makes it specially different.
- Max. 72 hours long runtime.
- Waterproof and drop-proof, delicate and portable.



1* CREE-LED XP- G3 S4 LED

Titanium alloy making. Special and outstanding.

Parameters

OUTPUT	INTENSITY	DISTANCE	RUNTIME	ANGLE	SIZE	WEIGHT
700	1330	73 Meters / Max.	72	Spotlight 28°	21*51	30
Lumens/Max.	Candela / Max.		Hours/Max.	Floodlight 90°	D*L (mm)	gram/excluding battery

Features



Lock Function



Sandblasting Clip



IP68 Waterproof & Dustproof




2 Meters Impact Resistance






Memory Function One Tap to Switch Mode



Temperature Control Protection



Anti-reverse **Battery Design**



Constant Current Circuit

Recommended Use Scenarios



Hiking, climbing, emergency lighting, everyday carry, play, collecting, gift...

location marker...

Camping, repair.

Warranty Policy

15 days free replacement, 5 years quality warranty, and free lifetime maintenance fee. (The final interpretation right belongs to CYANSKY.)



CYANSKY

CYANSKYLIGHT CO., LTD

Website: www.cyanskylight.com Email: info@cyanskylight.com Tel: 0086-769-82829209 Add: 601, 2# Building, Xiangdong Technopark, 7# Bainishan Middle Road, Dalingshan Town, Dongguan, 523000, China



